



Cangzhou Co-Win Metal Products Co.,Ltd
Development Zone of Cangzhou, Hebei, China 061000
Mobile: +86 13439146231 E-mail: jasonmalk@cowinvalve.com
Web: www.cowinflow.com

1. The price is for reference only, the final quotation is subject to the actual inquiry
2. The unit weight is for reference only, the final data is subject to the finished product.
3. The order total price of more than 10000 USD is FOB Xingang, less than EXW.
4. With 3.1MTC Report.
5. All rights of interpretation belong to Co Win.

Хотю	№ Поз. В каталоге	Обозначение	Размер (DN)	Нержавеющая сталь AISI 304	Нержавеющая сталь AISI 316	Weight (kg)
				CNY	CNY	
	CW MINI-FF	Мини клапан шаровый F/F 1000PSI/PN63	1/8" (6)	21.1	21.9	0.106
			1/4" (8)	19.8	21	0.102
			3/8" (10)	19.6	20.7	0.087
			1/2" (15)	20.6	21.9	0.112
			3/4" (20)	26	27.3	0.218
			1" (25)	38.4	41.7	0.354
	CW MINI-MF	Мини клапан шаровый M/F 1000PSI/PN63	1/8" (6)	20.1	20.8	0.09
			1/4" (8)	19.6	20.7	0.088
			3/8" (10)	19.4	20.4	0.086
			1/2" (15)	20.1	21.3	0.116
			3/4" (20)	25.2	26.4	0.194
			1" (25)	37.3	40.4	0.334
	CW MINI-MM	Мини клапан шаровый MM 1000PSI/PN63	1/8" (6)	20.7	21.4	0.097
			1/4" (8)	20.6	21.8	0.101
			3/8" (10)	21.4	22.4	0.104
			1/2" (15)	24	25.6	0.144
			3/4" (20)	30.9	32.7	0.21
			1" (25)	47.4	51.5	0.441
	CW HT	Кран шаровый под шланг 200PSI/PN16	1/2" (15)	28	30.1	0.22
			3/4" (20)	32.1	34.8	0.28
			1" (25)	46.3	50.5	0.45
	CW-HY/CW-MT	Кран шаровый 200PSI/PN16 (Выход Внеш. диам 9.6мм/13мм)	1/2" (15)	29.5	31.4	0.235
	CW DT	Сливной шаровый кран 200PSI/PN16	1/2" (15)	30	32.2	0.167
			3/8" (10)	30	32.2	0.171
			3/4" (20)	42	45.2	0.288
			1" (25)	51	55.2	0.418
	CW BV-1FF	шаровый клапан (цельнолитой корпус) 1000PSI/PN63	1/4" (8)	15.3	15.8	0.0632
			3/8" (10)	17.2	18.3	0.095
			1/2" (15)	18.7	20	0.1732
			3/4" (20)	22.4	24.1	0.2695
			1" (25)	32.5	35.9	0.374
			1 1/4" (32)	43.7	48.2	0.5196
			1 1/2" (40)	59.6	66.3	0.7328
	CW BV-2III	Двухстворчатый шаровый клапан тип III (облегченный) 1000PSI/PN63	2" (50)	91	102	1.175
			1/4" (8)	15.7	16.8	0.135
			3/8" (10)	15.9	17.1	0.133
			1/2" (15)	19.6	21.5	0.2028
			3/4" (20)	26.5	29.4	0.3075
			1" (25)	38.2	43.4	0.4583
			1 1/4" (32)	61	69.5	0.785
			1 1/2" (40)	82	94.6	1.0785
			2" (50) полный шар	128.2	152.6	1.61
			2 1/2" (65) полный шар	282.7	326.9	3.295
			3" (80) полный шар	400.8	467.7	4.648
			4" (100) полный шар	784.4	904.4	10.403
	CW BV-2II	Двухстворчатый шаровый клапан тип II (средний вес) 1000PSI/PN63	1/4" (8)	16.9	18.1	0.16
			3/8" (10)	16.9	18.1	0.16
			1/2" (15)	21.5	23.6	0.2471
			3/4" (20)	29.7	33	0.3664
			1" (25)	41.4	46.9	0.5312
			1 1/4" (32)	65.9	74.8	0.905
			1 1/2" (40)	89.6	102.9	1.248
			2" (50)	146	173	2.308
			2 1/2" (65)	300.3	343.1	4.55
			3" (80)	432.5	499.8	6.79
			4" (100)	987.5	1148.7	16.6
			2" (50) полный шар	138.5	163.6	1.9408
			2 1/2" (65) полный шар	287.4	331.3	3.78
			3" (80) полный шар	406.6	472.8	5.44
			4" (100) полный шар	893.4	1025.1	12.88

	CW BV-2M3	Двухстворчатый шаровый клапан DIN3202-M3 1000PSI/PN63	1/4" (8)	19.7	21.2	0.174
			3/8" (10)	20.5	22.1	0.189
			1/2"(15)	25.3	27.8	0.2934
			3/4" (20)	33.2	36.9	0.4118
			1" (25)	46.4	52.4	0.5993
			1 1/4" (32)	78.5	88.9	1.014
			1 1/2" (40)	100.7	117.3	1.3625
			2" (50)	161.9	190.4	2.495
			2 1/2" (65)	325.1	370.1	4.86
			3" (80)	551.8	633.6	7.43
			4" (100)	1061.8	1231.8	17.3
			2" (50) полный шар	155.4	180.7	2.105
			2 1/2" (65) полный шар	313	358	4.09
			3" (80) полный шар	526.4	605.7	6.08
			4" (100) полный шар	966.3	1104.7	13.98
	CW BV-2FM	Двухстворчатый шаровый клапан F/M 1000PSI/PN63	1/4" (8)	18	19.4	0.173
			3/8" (10)	18.4	19.8	0.171
			1/2"(15)	24	26.3	0.2694
			3/4" (20)	33.8	37.7	0.3936
			1" (25)	47.4	53.7	0.6
			1 1/4" (32)	71.2	80.8	0.9906
			1 1/2" (40)	99.6	114.2	1.338
			2" (50)	163.6	193.1	2.5233
			2 1/2" (65)	324.3	370.1	5.03
			3" (80)	474.2	547.1	7.34
			4" (100)	1075.5	1248.6	16.991
			2" (50) полный шар	155.7	184.1	2.1483
			2 1/2" (65) полный шар	311.9	359	4.26
			3" (80) полный шар	449.6	521.4	5.99
			4" (100) полный шар	985.9	1131	13.671
	CW BV-2FD	Двухстворчатый фланцевый шаровый клапан DIN 200PSI/PN16	1/2" (15)	169.9	186.5	2.1025
			3/4" (20)	223	246.7	2.8333
			1" (25)	271.6	300.3	3.6
			1 1/4" (32)	368.5	409.5	5.05
			1 1/2" (40)	472.9	524.8	6.45
			2" (50) цельный шар	584.2	657.3	8.36
			2 1/2" (65) цельный шар	840.2	948.3	11.9
			3" (80) цельный шар	1088.9	1242.3	15.62
			4" (100) цельный шар	1359.4	1598.2	20.36
			2" (50) полный шар	576.3	647.3	7.97
			2 1/2" (65) полный шар	826.4	935.8	11.13
			3" (80) полный шар	1061.4	1213.5	14.27
			4" (100) полный шар	1259.4	1466.9	17.04
	CW BV-2FA	Двухстворчатый фланцевый шаровый клапан под привод 150 LBS	1/2" (15)	126.5	138.6	1.669
			3/4" (20)	146.7	161.7	2.006
			1" (25)	200.8	221.9	2.8166
			1 1/4" (32)	240.8	267.8	3.43
			1 1/2" (40)	343	382.3	4.95
			2" (50) цельный шар	459	519.2	7.08
			2 1/2" (65) цельный шар	772.8	875.8	12.23
			3" (80) цельный шар	997.1	1142.2	15.28
			4" (100) цельный шар	1563.6	1826.5	25.88
			2" (50) полный шар	451.7	510	6.69
			2 1/2" (65) полный шар	760.2	864.3	11.46
			3" (80) полный шар	971.8	1115.8	14
			4" (100) полный шар	1471.6	1705.8	22.56
	CW BV-3II	Трёхстворчатый шаровый клапан тип II (облегченный) 1000PSI/PN63	1/4" (8)	25.9	27.4	0.273
			3/8" (10)	25.9	27.4	0.2686
			1/2"(15)	32.8	35	0.414
			3/4" (20)	42.6	45.9	0.5386
			1" (25)	58.2	64.3	0.7448
			1 1/4" (32)	87	96.7	1.194
			1 1/2" (40)	129.3	141.2	1.662
			2" (50) полный шар	190.7	216.9	2.525
			2 1/2" (65) полный шар	401.1	450.5	5.35
			3" (80) полный шар	574.5	650.7	8.05
			4" (100) полный шар	1048.6	1177.9	15.2
	CW BV-3MP	Трёхстворчатый шаровый клапан под привод 1000PSI/PN63	1/4" (8)	50.8	53.8	0.64
			3/8" (10)	50.8	53.8	0.6325
			1/2"(15)	54.4	57.8	0.6525
			3/4" (20)	60.8	65.2	0.711
			1" (25)	87.8	95.7	1.07
			1 1/4" (32)	121.3	133.7	1.5075
			1 1/2" (40)	180.7	196.6	2.4166
			2" (50)	252.7	282.8	3.68
			2 1/2" (65)	527.5	586.2	7.32
			3" (80)	765	854.7	11.063
			4" (100)	1385.5	1570.2	21.24
			2" (50) полный шар	245.3	273.4	3.3
			2 1/2" (65) полный шар	514.5	574.4	6.96
			3" (80) полный шар	739	827.5	9.88
			4" (100) полный шар	1291.1	1446.3	17.92
	CW 3FD	Хланцевый трёхстворчатый клапан DIN (PN40)	1/2"(15)	120.1	133.5	1.967
			3/4" (20)	163.8	183	2.68
			1" (25)	208.1	233.2	3.432
			1 1/4" (32)	309	347.4	5.0133
			1 1/2" (40)	393.1	441.5	6.451
			2" (50)	541	613.6	8.995
			2 1/2" (65)	916.3	1035.4	15.1
			3" (80)	1252.3	1423.1	20.584
			4" (100)	1755.7	2019.2	34.2
			2" (50) полный шар	533.8	604.4	8.605
			2 1/2" (65) полный шар	903.7	1023.9	14.33
			3" (80) полный шар	1227	1396.6	19.234
			4" (100) полный шар	1660.5	1894.3	31.376

	CW BV-3WL	Трёхходовой клапан с под привод (тип L) 1000PSI/PN63	1/4" (8)	85.2	91.3	0.626
			3/8" (10)	85.9	92.1	0.636
			1/2"(15)	89.1	95.5	0.677
			3/4" (20)	111.8	119.5	0.933
			1" (25)	171.9	184.2	1.511
			1 1/4" (32)	218.1	233.5	2.099
			1 1/2" (40)	305.1	331.1	3.241
	CW BV-3WT	Трёхходовой клапан с под привод (тип T) 1000PSI/PN63	2" (50)	457.4	494.8	5.265
			1/4" (8)	88.6	95	0.622
			3/8" (10)	89.3	95.8	0.637
			1/2"(15)	92.6	99.3	0.6675
			3/4" (20)	116.3	124.3	0.925
			1" (25)	171.9	184.2	1.5425
			1 1/4" (32)	218.1	233.5	2.072
	CW YS-II	Y-фильтр Тип II (облегченный) 800PSI/PN50	1 1/2" (40)	305.1	331.1	3.26
			2" (50)	439.8	494.8	5.19
			1/4" (8)	19.9	21.1	0.184
			3/8" (10)	19.9	21.1	0.182
			1/2"(15)	22.2	23.7	0.172
			3/4" (20)	31.9	34.3	0.286
			1" (25)	50	54.1	0.49
	CW CV-21	Клапан обратный пружинный (двухходовой) 1000PSI	1 1/4" (32)	60.3	65.8	0.665
			1 1/2" (40)	86.5	94	0.899
			2" (50)	125.1	136.3	1.41
			1/4" (8)	21.1	22.4	0.14
			3/8" (10)	20.9	22.1	0.1336
			1/2"(15)	23.4	24.8	0.1748
			3/4" (20)	28.4	30.8	0.239
	CW CV-22	Клапан обратный пружинный (двухходовой) PN20	1" (25)	39.2	42.6	0.36
			1 1/4" (32)	56.1	61.3	0.552
			1 1/2" (40)	76.4	83.8	0.8
			2" (50)	106.8	117.4	1.13
			2 1/2" (65)	274.8	303.4	3.088
			3" (80)	421.4	467	4.774
			4" (100)	581.1	642.6	6.116
	CW CV-Y	Y-образный обратный клапан 800PSI/PN55	1/4" (8)	18.8	19.9	0.13
			3/8" (10)	17.8	18.8	0.123
			1/2"(15)	22.5	24	0.15
			3/4" (20)	27.3	29.7	0.233
			1" (25)	35.7	39.1	0.369
			1 1/4" (32)	51.7	57	0.597
			1 1/2" (40)	71.1	78.7	0.796
	CW BV-2PC	Двухходовой шаровый клапан под опрессовку с литой ручкой PN63	2" (50)	97.9	108.5	1.237
			1/4" (8)	38	40.4	0.266
			3/8" (10)	38.5	40.9	0.253
			1/2"(15)	44.8	47.9	0.24
			3/4" (20)	48.5	52.1	0.37
			1" (25)	66.9	72.1	0.554
			1 1/4" (32)	96	104.1	0.824
	CW BV-3PCC	Трёхходовой шаровый клапан под опрессовку с литой ручкой PN69	1 1/2" (40)	129.7	141.1	1.134
			2" (50)	193.4	211.1	1.794
			диаметр. 12 (10)	55	63	0.32
			диаметр.18 (15)	65	73.5	0.3265
			диаметр.22 (20)	82	93	0.416
			диаметр.28 (25)	106	120	0.552
			диаметр. 12 (10)	55	63	0.404
	CW BV-3PCL	Трёхходовой шаровый клапан под опрессовку PN69	диаметр.18 (15)	62	71	0.536
			диаметр.22 (20)	77	88	0.631
			диаметр.28 (25)	102	116	0.972
			диаметр. 35 (32)	131	149	1.698
			диаметр. 42 (40)	181	206	2.295
			диаметр. 54 (50)	290	330	3.385
			диаметр. 76 (65)	651	740	6.53
	CW SV	Клапан для отбора проб PN16	диаметр. 88 (80)	959	1090	9.839
			диаметр. 108 (100)	1874	2130	19.176
			1/2" (15)	34.2	38	0.199
	CW BV-1F	Клапан шаровый межфланцевый под привод PN16	1/2"(15)	110.7	120.6	1.244
			3/4" (20)	122.5	134.4	1.69
			1" (25)	186.4	205.6	2.1725
			1 1/4" (32)	255.8	284.3	3.24
			1 1/2" (40)	345.6	385.6	4.56
			2" (50)	446.4	519	6.259
			2 1/2" (65)	706.5	802.4	10.393
	CW BV-1F	Клапан шаровый межфланцевый под привод PN16	3" (80)	920.7	1056.7	13.23
			4" (100)	1293.7	1524.9	20.18
			2" (50) полой шар	438.7	509.3	5.92
			2 1/2" (65) полой шар	693.1	790.2	9.71
			3" (80) полой шар	893.9	1028.6	11.65
			4" (100) полой шар	1196.1	1396.8	16.7

	CW BV-2FAAG	Двухстворчатый фланцевый шаровый клапан под привод 150LBS	1/2"(15)	129.68	142.74	1.7375
			3/4" (20)	166.1	182.9	2.3533
			1" (25)	220.17	247.57	3.1875
			1 1/4" (32)	268.34	298.1	3.89
			1 1/2" (40)	377.51	432.96	5.16
			2" (50)	519.92	601.35	6.9
			2 1/2" (65)полый шар	867.1	981.25	11.96
			3" (80)полый шар	1041.41	1182.09	15.6
			4" (100)полый шар	1640.25	1873.08	25.12
			5" (125)полый шар	2651.25	3024.14	47.7946
			6" (150)полый шар	3388.72	3890.98	81.7396
			8" (200)полый шар	5729.2	6682.69	97.5129
			10" (250)полый шар	9555.8	11140.23	148.5629
			12" (300)полый шар	13173.27	15542.49	225.3219
	CW BV-2FA3AG	Двухстворчатый фланцевый шаровый клапан под привод 300LBS	1/2"(15)	159.16	180.9	2.2817
			3/4" (20)	228.06	259.76	3.4517
			1" (25)	311.63	360.4	4.8354
			1 1/4" (32)	394.65	452.64	6.1302
			1 1/2" (40)	566.32	663.69	9.2885
			2" (50)	703.41	830.66	11.7187
			2 1/2" (65)	1103.75	1316.04	18.942
			3" (80)	1517.88	1821.46	26.419
			4" (100)	2652.05	3215.26	46.067
			5" (125)	3901.35	4677.36	64.3279
			6" (150)	5127.32	6202.78	88.1229
			8" (200)	8779.25	10879	154.7833
			10" (250)	16110.86	20148.31	253.3733
			12" (300)	24288.77	31006.44	398.9123
	CW BV-2FD16AG	Двухстворчатый фланцевый шаровый клапан под привод PN16	1/2"(15)	167.43	190.46	2.3104
			3/4" (20)	218.61	248.83	3.1527
			1" (25)	280.92	324.87	4.277
			1 1/4" (32)	371.02	425.32	5.6825
			1 1/2" (40)	468.28	550.3	7.3811
			2" (50)	561.66	666.72	9.0695
			2 1/2" (65)полый шар	865.5	1008.74	14.1788
			3" (80)полый шар	1034.49	1210.3	17.2228
			4" (100)полый шар	1357.24	1606.27	23.0816
			5" (125)полый шар	2461.7	2904.31	44.6046
			6" (150)полый шар	3160.2	3757	77.8896
			8" (200)полый шар	5138.32	6235.37	87.5429
			10" (250)полый шар	8726.88	10622.69	134.5629
			12" (300)полый шар	11429.45	14205.3	195.8319
	CW GLV	Клапан запорный сальниковый резьбовой PN16	1/2"(15)	45.7	51.1	0.42
			3/4" (20)	55.8	63.5	0.59
			1" (25)	70.6	81.4	0.91
			1 1/4" (32)	90.9	108.3	1.41
			1 1/2" (40)	110.5	130.6	1.99
			2" (50)	170.5	203.3	2.63
			2 1/2" (65)	227.79	241.59	2.9604
	CW GLVFA	Клапан запорный сальниковый фланцевый 150LBS	3/4" (20)	265.81	284.2	3.5754
			1" (25)	294.39	316.23	4.0304
			1 1/4" (32)	490.12	523.14	6.7455
			1 1/2" (40)	553.93	594.76	7.7755
			2" (50)	718.7	779.12	10.3763
			2 1/2" (65)	1021.39	1116.87	15.1992
			3" (80)	1402.09	1526.39	20.584
			4" (100)	2034.82	2233.98	30.7696
			5" (125)	3346.79	3645.23	47.3199
			6" (150)	4127.17	4519.88	59.9339
			8" (200)	6915.8	7579.62	100.6941
			1/2"(15)	55	61	0.41
			3/4" (20)	63	71	0.53
			1" (25)	80	90	0.72
			1 1/4" (32)	94	108	1.04
	CW GAV	Задвижка клиновая резьбовая PN16	1 1/2" (40)	125	146	1.45
			2" (50)	170	201	2.24
			1/2"(15)	297.22	332	3.9738
			3/4" (20)	353.6	400.44	4.9298
			1" (25)	407.57	465.29	5.817
			1 1/4" (32)	738.75	842.73	10.8485
			1 1/2" (40)	699.86	795.12	10.1585
	CW GVFD	Задвижка клиновая фланцевая PN16	2" (50)	881.6	1014.29	13.1495
			2 1/2" (65)	1192.23	1385.64	18.1939
			3" (80)	1661.34	1917.75	25.0213
			4" (100)	2098.49	2439.41	32.1789
			5" (125)	3535.56	4099.67	52.5028
			6" (150)	4314.15	5040.05	65.5888
			8" (200)	6963.45	8159.97	107.1594
			10" (250)	11458.06	13371.75	167.2466
			12" (300)	15473.03	18214.66	234.2166
			3/4" (20)	213.86	250.04	3.0134
			1" (25)	257.47	302.97	3.6971
			1 1/4" (32)	355.4	420.7	5.3562
			1 1/2" (40)	436.76	517.42	6.5358
			2" (50)	604.85	716.84	9.081
	CW SCFD	Клапан обратный поворотный PN16	2 1/2" (65)	792.39	942.02	12.4515
			3" (80)	1084.44	1288.7	16.7083
			4" (100)	1577.4	1877.58	26.2892
			1/2"(15)	19.11	20.05	0.1002
			3/4" (20)	23.86	25.66	0.1587
			1" (25)	32.66	35.18	0.2442
			1 1/4" (32)	49.58	53.99	0.4341
	CW CVWD	Межфланцевый обратный клапан PN40	1 1/2" (40)	62.3	67.99	0.5532
			2" (50)	90.7	99.25	0.8437
			2 1/2" (65)	167.5	182.62	1.434
			3" (80)	226.58	247.79	1.789
			4" (100)	399.27	437.97	3.007
			1/2"(15)	19.11	20.05	0.1002
			3/4" (20)	23.86	25.66	0.1587
			1" (25)	32.66	35.18	0.2442
			1 1/4" (32)	49.58	53.99	0.4341
			1 1/2" (40)	62.3	67.99	0.5532
			2" (50)	90.7	99.25	0.8437
			2 1/2" (65)	167.5	182.62	1.434
			3" (80)	226.58	247.79	1.789
			4" (100)	399.27	437.97	3.007